Wanganui East State Highways Road Safety Report 2005 to 2009





Performance Information NZ Transport Agency PO Box 345 Level 1, Seddon House, Park Place WHANGANUI 4540

Ph. (06) 965 6800 Fax. (06) 345 7151

Web: www.nzta.govt.nz

June 2010

Contents

	Page
Introduction and general information	
Crash rates and costs (Figures 1.1 to 1.11)	5
Crash counts (Figures 2.1 to 2.14)	17
Road user statistics (Figures 3.1 to 3.28)	25
Crash type statistics (Figures 4.1 to 4.6)	
Crash factor statistics (Figures 5.1 to 5.14)	
Environmental statistics (Figures 6.1 to 6.14)	57
Date and time statistics (Figures 7.1 to 7.3)	67
Crash location statistics (Figures 9.3, 9.5)	73

Appendices

Grouping of crash types Groupings of contributing factors

List of figures

Crash rates and co	sts page 5
Fig. 1.1	Reporting rate serious injuries to hospital admissions
Fig. 1.2	Crashes per 100 million vehicle kilometres travelled
Fig. 1.3	Casualties per 100 million vehicle kilometres travelled
Fig. 1.4	Regional crash and casualty rates
Fig. 1.4a	Peer group crash and casualty rates Group Z
Fig. 1.5–1.8	Crashes per 100 million vehicle kilometres travelled on:
	Urban council roads Group Z
	Rural council roads Group Z
	Urban state highways Group Z
	Rural state highways Group Z
Fig. 1.9	Crashes per 10,000 people (2000 to 2009)
Fig. 1.10	Casualties per 10,000 people (2000 to 2009)
Fig. 1.11	Social cost of crashes in Wanganui East State Highways in 2009

Crash counts

page 17

Fig. 2.1	Crash numbers and severity (2005 to 2009) – whole district
Fig. 2.2, 2.3	Crash numbers and severity (2005 to 2009) – urban/rural
Fig. 2.4	Casualty numbers and severity (2005 to 2009) – whole district
Fig. 2.5, 2.6	Casualty numbers and severity (2005 to 2009) – urban/rural
Fig. 2.7	Number of injury crashes (2000 to 2009) – all roads
Fig. 2.8	Number of casualties (2000 to 2009) – all roads
Fig. 2.9	Number of injury crashes (2000 to 2009) – urban
Fig. 2.10	Number of casualties (2000 to 2009) – urban
Fig. 2.11	Number of injury crashes (2000 to 2009) – rural
Fig. 2.12	Number of casualties (2000 to 2009) – rural
Fig. 2.13, 2.14	Severity ratio (2000 to 2009) – urban/rural

Road user statistics

page 25

Fig. 3.1, 3.2	Road user casualties (2005 to 2009) – urban/rural
Fig. 3.3, 3.4	Male/female casualties (2000 to 2009)
Fig. 3.5	Male casualties by age (2005 to 2009)
Fig. 3.6	Female casualties by age (2005 to 2009)
Fig. 3.7, 3.8	Car/van driver casualties (2000 to 2009)
Fig. 3.9, 3.10	Car/van passenger casualties (2000 to 2009)
Fig. 3.11, 3.12	Heavy vehicle casualties (2000 to 2009)
Fig. 3.13, 3.14	Motorcyclist casualties (2000 to 2009)
Fig. 3.15, 3.16	Pedestrian casualties (2000 to 2009)
Fig. 3.17, 3.18	Cyclist casualties (2000 to 2009)

List of figures continued

Road user statistics

Fig. 3.19	Car/van driver casualty age (2005 to 2009)
Fig. 3.20	Car/van passenger casualty age (2005 to 2009)
Fig. 3.21	Heavy vehicle casualty age (2005 to 2009)
Fig. 3.22	Motorcyclist casualty age (2005 to 2009)
Fig. 3.23	Pedestrian casualty age (2005 to 2009)
Fig. 3.24	Cyclist casualty age (2005 to 2009)
Fig. 3.25, 3.26	Casualty ethnicity (2005 to 2009)
Fig. 3.27, 3.28	Licence status (2000 to 2009)

Crash type statistics

page 41

Crash movement type (2005 to 2009)
Crash movement type – trends (2000 to 2009)
Failed to give way/stop – urban (2000 to 2009)
Bend – lost control/head on – rural (2000 to 2009)
F

Crash factor statistics

page 47

Fig. 5.1, 5.2	Contributing factors (2005 to 2009)
Fig. 5.3–5.6	Contributing factor trends – urban (2000 to 2009)
Fig. 5.7	Alcohol-involved trend – urban (2000 to 2009)
Fig. 5.8	Speed-involved trend – urban (2000 to 2009)
Fig. 5.9–5.12	Contributing factor trends – rural (2000 to 2009)
Fig. 5.13	Alcohol-involved trend – rural (2000 to 2009)
Fig. 5.14	Speed-involved trend – rural (2000 to 2009)

Environmental statistics

page 57

Fig. 6.1, 6.2	Crashes not on state highways (2000 to 2009)
Fig. 6.3, 6.4	Intersection crashes (2000 to 2009)
Fig. 6.5, 6.6	Wet road crashes (2000 to 2009)
Fig. 6.7, 6.8	Crashes in darkness (2000 to 2009)
Fig. 6.9	Unsealed road crashes – rural (2000 to 2009)
Fig. 6.10	Icy road crashes – rural (2000 to 2009)
Fig. 6.11, 6.12	Collisions with objects (2000 to 2009)
Fig. 6.13, 6.14	Objects struck (2005 to 2009)

Date and time statistics

page 67

Fig. 7.1	Time pattern over average week (2005 to 2009)
Fig. 7.2	Day of week (2005 to 2009)
Fig. 7.3	Month of year (2005 to 2009)

page 25

List of figures continued

Crash location statistics

page 73

- Fig. 9.3 State Highway crash blackspot list for the Region (2005 to 2009)
- Fig. 9.5 State highway crash blackspots with a significant increase in crashes in 2009



Introduction and general information

The NZ Transport Agency provides information on road safety to its stakeholders and the public. It also has responsibility for promoting safety and sustainability in land transport, among a variety of other functions. This road safety report is an example of information supplied by the NZ Transport Agency.

This report helps identify road safety issues in Wanganui East State Highways area ('the region') by presenting tables or graphs of:

- numbers and trends in reported crashes and casualties
- characteristics and types of crashes and casualties
- factors contributing to crashes
- Iocations with bad crash records
- characteristics of crashes on council authority roads

The information is intended to assist road controlling authorities, the New Zealand Police and others in evaluating the safety performance of the road network in Wanganui East State Highways. Comparison with other cities, districts or regions elsewhere in the country is included.

Researchers, students, and organisations with an interest in road safety will also find the information useful.

Source of crash information

This report uses data from the NZ Transport Agency's crash database. This database includes all crashes involving injury and non–injury for which Police reports have been completed and forwarded to the NZ Transport Agency. Mostly five-year data (2005 to 2009) has been used, but 10-year data (2000 to 2009) has been used to analyse trends.

Council authority peer groups

Traffic crash patterns and features for an area can depend on the traffic and roading characteristics of that area. The most useful comparisons are made with other areas or authorities with similar characteristics, rather than with the whole country. The data is compared with a peer group of similar authorities (Group Z) along with data for all New Zealand.

The peer group used for comparison with Wanganui East State Highways is Group Z which consists of provincial city with large rural hinterland. (Population under 200000 and/or rural crashes greater than 40 percent). Council authorities included in this group are listed in Figure 1.4a, however this may not be the most appropriate comparison for the state highways and should be considered with caution.



Definitions of urban and rural

Data has been separated for urban and rural (open) roads through this report because each has a distinctly different pattern of crashes. In this report urban roads are defined as all those with a speed limit of 70 km/h or less, however it should be noted that some locations which have been speed limit zoned might be more appropriately defined as rural but are included in urban zones.

Definition of statistically significant

A number of graphs include a comparison between the road controlling authority, all New Zealand and a similar peer group. These graphs can include an indication as to whether the difference is statistically significant. For the purposes of this report statistically significant means that a difference of this size is unlikely to be due to chance. Significance is noted at the 5% level (P < 0.05), this means that the observed result would occur by chance in only 1 in 20 similar situations.

Road user compliance data

The Ministry of Transport collects information on road user compliance with traffic law. This information includes speed surveys, occupant restraint use surveys and cycle helmet use surveys. Information about these surveys is available on Ministry of Transport web site.

The appropriate web addresses are as follows:

Speed Surveys	http://www.transport.govt.nz/research/SpeedSurveys/
Safety belts	http://www.transport.govt.nz/research/safetybeltstatistics/
Cycle helmets	http://www.transport.govt.nz/research/cyclehelmets2009/

The information is also distributed quarterly in the Ministry of Transport publication Road safety progress.

The Ministry of Transport also conducts public attitude surveys. These have been undertaken annually since 1994. They evaluate attitudes to road safety issues, primarily alcohol-impaired driving and speed. Surveys are carried out in May and June of each year by trained interviewers who conduct interviews with respondents in their homes. The sample is chosen to be representative of the New Zealand adult population, and includes men and women aged 15 and over from towns, cities and rural areas throughout New Zealand.



The results of these surveys are available from:

http://www.transport.govt.nz/research/PublicAttitudestoRoadSafety-Survey/

General explanatory notes

- 1. Crash and casualty information in this report generally includes data for both roads and state highways.
- Crash and casualty rates are based on 2009 populations estimates updated from the 2006 census, traffic flows from the year 2009, and the average of five year crash data (2005–2009).
- 3. Traffic flows are based on Road Asset Maintenance and Management (RAMM) data from December 2009. As different road controlling authorities update flow data in RAMM at different times some data will be more up to date than other data, hence caution should be exercised when comparing traffic flow based crash rates in one authority with those of other authorities particularly as the traffic flow data (VKT) used in the calculations can not be considered definitive. Comparisons should be considered as indicative only.
- 4. With four to five categories of road for each council authority, some categories will only have short lengths of road. This may cause significant variation in the calculated crash and casualty rates.
- 5. The crash numbers include all those within the road controlling authority. The crash numbers used in the crash rate section can, however, vary slightly from the remainder of the document as only 'on road' crashes can be used. These are crashes on roads that have traffic volume information recorded. Crashes that occurred in car parks, reserves, beaches etc. are excluded.

6. The severity of a crash is determined as the most severely injured casualty in the crash. Injury severity is classified as fatal, serious, or minor as follows:

Fatal:Injuries that result in death within 30 days of a crash.

- Serious: Fractures, concussion, internal injuries, crushing, severe cuts and lacerations, severe general shock necessitating medical treatment, and any injury involving removal to and detention in hospital.
- **Minor**: Injuries which are not serious but which require first aid, or cause discomfort or pain to the person injured, eg sprains and bruises.
- 7. Ethnicity of road users involved in crashes can now be recorded on traffic crash reports, although some reports may not include this data. Figures 3.25 and 3.26 shows the ethnicity of casualties, where known. Ethnicity is divided into five different groups. Only data for 2005 to 2009 is available. The graph includes all casualties irrespective of culpability.

NOTE: Ethnicity data should be treated with caution as the data can be considered subjective and incomplete.

- 8. For the licence status grouping in Figures 3.27 and 3.28 the 'no/wrong licence' group includes drivers who have never held a licence or have an expired or wrong class licence. This graph includes all drivers irrespective of injury or culpability.
- 9. See appendix for detailed descriptions of:
 - crash movement types and crash movement groupings (for Figures 4.1–4.4)
 - grouping of factors contributing to crashes (for Figures 5.1–5.14)
- 10. Blackspot sites listed in Figure 9.3 are listed by the total cost of crashes at the site and are listed regardless of any remedial treatments. Site were initially selected on the basis of 3 reported crashes and then the sites listed were limited to those with a higher number of injury crashes and over a defined social cost, which is indicated on each figure.
- 11. Alarm crash sites listed in Figure 9.5 are crash sites that have shown a statistically significant increase (at the 95 percent level of confidence) in reported crashes in 2009 compared with the previous five years (2004 to 2008). The sites are initially selected on the basis of 3 or more reported crashes at the sites. Sites are listed regardless of any recent remedial treatments and they may already be under investigation for treatment.



Wanganui East State Highways Road Safety Report 2005-2009



Crash Rates and Costs





Crash reporting rates

The ratio of 'reported serious injuries' can be assessed by comparing seriously injured casualty numbers from Police crash reports to hospital admissions, given that a serious injury is generally one requiring hospital attention.

Figure 1.1 below indicates the serious injury reporting rate for each region.


Figure 1.1 Reporting rate serious injuries to hospital admissions

	2005	2000	2007	2000	2000
Region	2005	2006	2007	2008	2009
Northland	30%	28%	34%	38%	27%
Auckland	17%	20%	16%	18%	18%
Waikato	40%	38%	50%	47%	40%
Bay of Plenty	32%	37%	38%	29%	27%
Gisborne	32%	26%	31%	28%	27%
Hawkes Bay	80%	75%	59%	68%	42%
Taranaki	55%	65%	79%	41%	36%
Manawatu-Wanganui	38%	34%	35%	36%	31%
Wellington	68%	61%	74%	55%	48%
Nelson-Marlborough	44%	52%	54%	50%	39%
West Coast	53%	55%	59%	53%	54%
Canterbury	47%	42%	49%	45%	43%
Otago	99%	85%	77%	69%	39%
Southland	78%	103%	73%	53%	39%
New Zealand	36%	35%	37%	35%	33%

This is the ratio of the number of persons with serious injuries in reported crashes divided by the number of persons admitted to hospital with serious injuries.

These variations in reporting rates need to be considered when viewing the trends in crashes and casualties shown in this report.

Note: These values should be considered indicative only.





All NZ

-				
	Council roads		State Highways	
	Urban	Rural	Urban	Rural
Wanganui East S.H.	39	25	33	17
Group Z	31	26	26	17

Figure 1.2 Crashes per 100 million vehicle kilometres travelled

Figure 1.3 Casualties per 100 million vehicle kilometres travelled

	Counci	l roads	State Hi	ghways
	Urban	Rural	Urban	Rural
Wanganui East S.H.	47	36	44	27
Group Z	40	38	36	27
All NZ	46	42	36	26



Figure 1.4 Peer group crash and casualty rates

Regions


	Crashes per						ualtie					
	ц		100 million vehicle kilometres travelled			u			on veh		5	les
	latic .ge)		uncil	s trave Sta		kilometres				ate	atic	crashes
	Population average)		ads	High		Population average)	roa			ways	Population	al c
	,000 F year a	۲U	rl -	۱n			۲n		۱n		9 Pc	rural
Region name	1 0,000 (5 year a	Urban	Rural	Urban	Rural	10,000 (5 year	Urban	Rural	Urban	Rural	2009	% of
Auckland	23	33	29	40	14	29	42	41	53	19	1454200	28
Bay of Plenty	16	28	29	17	17	22	35	43	24	27	371020	48
Gisborne	27	31	21	28	28	38	41	31	38	44	46200	47
Hawkes Bay	32	46	30	37	24	44	57	45	48	38	153270	47
Manawatu Wanganui	27	39	25	31	18	38	47	37	42	28	230000	54
Nelson Marlborough	25	39	23	22	20	33	47	35	27	29	136800	52
Southland	91	71	32	57	24	138	102	50	77	39	45330	50
Greater Wellington	27	41	37	32	14	34	49	50	43	20	386480	27
Canterbury	51	41	22	24	14	67	51	31	31	21	278450	30
Chathams	1109	n/a	n/a	n/a	n/a	91	n/a	n/a	n/a	n/a	640	n/a
Northland	26	34	34	20	22	39	43	49	32	39	185900	71
Otago	47	73	43	47	21	69	103	65	65	33	186150	45
Taranaki	28	45	31	30	22	39	58	45	38	33	108240	53
Waikato	32	40	29	22	19	45	50	39	31	30	384870	58
West Coast	38	35	24	20	22	55	48	34	30	33	32590	77
· · · · · · · · · · · · · · · · · · ·		1									1	
All New Zealand	26	38	29	28	18	36	48	42	38	26	4331000	41

N/A : Denotes that data for vehicle kilometres travelled (VKT) is not available or inappropriate for some categories.


Crashes and casualties per 100 million VKT are based on five years of reported injury on-road crash data (2005-2009) and December 2009 VKT estimates.

Crashes and casualties per 10,000 population are based on five year average crash data (2005-2009) and Statistics NZ 2009 population estimates.
























Figure 1.4a Peer group crash and casualty rates

Group Z

		Cra	shes p	ber			Cas	ualtie	s per			s
	on (1			ion veh		on (1) millio			5	she
	ılati rage			s trave		ılati rag€		metre			atic	cra
	0,000 Populatio (5 year average)		uncil ads	Sta High\		opu avei		uncil ads	Sta High	ate ways	pul	% of rural crashes
	00 F ear			-		00 F ear					Ро	f ru
City or District name	10,000 Population (5 year average)	Urban	Rural	Urban	Rural	10,000 Population (5 year average)	Urban	Rural	Urban	Rural	2009 Population	0 %
City or District name Ashburton	21	⊃ 36	<u>~</u> 16	 17	<u>~</u> 7	29	⊃ 47	<u>~</u> 23	⊃ 24	<u>~</u> 10	 29100	56
Buller	40	35	21	17	7 23	29 60	47 49	25 29	24 27	35	10000	50 79
Carterton	29	53	29	24	15	42	76	41	32	24	7420	71
Central Hawkes Bay	28	34	21	20	16	41	58	32	27	23	13350	77
Central Otago	40	38	30	47	20	60	47	44	62	32	17950	80
Chatham Islands	1109	n/a	n/a	n/a	n/a	91	n/a	n/a	n/a	n/a	640	n/a
Clutha	58	40	41	29	27	90	49	69	40	41	17400	86
Far North	35	29	34	26	26	54	44	52	35	42	58000	84
Franklin	31	33	35	0	7	44	43	51	0	11	64200	77
Hauraki	43	34	32	30	18	63	37	43	42	28	17800	81
Horowhenua	30	26	14	35	20	43	30	22	47	31	30600	63
Hurunui	61	25	20	16	21	94	30	27	21	34	11000	94
Kaikoura	58	19	35	12	20	78	23	68	14	26	3780	89
Kaipara	47	37	45	28	34	67	44	64	39	50	18750	83
Mackenzie	55	0	29	37	17	89	0	53	43	27	3960	94
Manawatu	31	30	24	34	15	45	38	36	46	23	29500	79
Matamata Piako	44	53	32	24	14	64	68	44	31	22	23300	79
Opotiki	33	66	15	55	19	50	106	15	86	30	9020	70
Otorohanga	43	49	25	38	30	61	59	37	50	44	9250	81
Queenstown Lakes	22	46	37	18	24	33	67	60	23	36	51500	65
Rangitikei	39	27	32	15	14	63	34	45	23	25	14900	86
Rodney	28	27	28	24	14	39	36	38	36	21	98100	69
Ruapehu	39	32	21	40	19	63	47	32	54	32	13600	82
Selwyn	25	18	19	7	12	35	21	27	9	19	38600	90

Group Z : Cities and districts where the percentage of vehicle kilometres travelled in urban areas is less than 30 percent.

N/A : Denotes that data for vehicle kilometres travelled (VKT) is not available or inappropriate for some categories.

Crashes and casualties per 100 million VKT are based on five years of reported injury on-road crash data (2005-2009) and December 2009 VKT estimates.

Crashes and casualties per 10,000 population are based on five year average crash data (2005-2009) and Statistics NZ 2009 estimates.



Figure 1.4a Peer group crash and casualty rates

GROUP Z

		Cra	shes p	ber			Cas	ualtie	s per			10
	u (E 100 million vehicle			u () millio			ion	hes	
	latic age			s trave		latic age)		metre			ılat	ras
	000 Populatio year average)		uncil	Sta		000 Populatio year average)		uncil		ate	opu	al c
	0 Pc ar a		ads	High	vays	0 Pc ar a	roa	ads		ways	- 6 - 6	rur
	0,000 Population (5 year average)	an	al	Urban	al	0,000 Population (5 year average)	an	al	Urban	a	2009 Population	% of rural crashes
City or District name	10	Urban	Rural	Urb	Rural	10()	Urban	Rural	Urb	Rural		%
South Taranaki	26	45	25	16	19	39	55	39	26	28	26800	73
South Waikato	31	24	28	19	19	49	31	42	34	32	22800	80
South Wairarapa	11	71	28	12	28	15	89	37	15	41	29300	84
Southland	36	43	32	41	25	57	62	48	60	42	46800	90
Stratford	9	51	33	14	27	12	59	48	20	39	33600	78
Tararua	25	40	28	27	20	35	53	41	35	29	26800	81
Tasman	25	28	21	21	23	35	34	30	26	34	47600	76
Taupo	30	43	26	21	18	45	53	38	27	30	46900	69
Waikato	44	39	28	16	17	64	46	37	24	26	45100	83
Waimakariri	40	32	30	9	10	55	44	43	11	14	20700	71
Waimate	5	39	18	25	13	7	51	27	31	18	44800	82
Waipa	36	40	27	27	15	51	52	37	35	23	34300	67
Wairoa	47	49	22	41	36	72	77	36	44	56	8420	78
Waitaki	93	54	31	51	17	132	67	42	62	29	10000	60
Waitomo	81	52	25	51	29	123	70	34	71	47	7420	86
Western Bay of Plenty	88	27	25	21	16	131	32	34	33	25	13350	84
Westland	23	21	19	35	20	36	42	24	61	30	17950	90
Whakatane	1378	30	26	24	18	2144	40	44	33	29	640	69
	1 1	r				1	n —					1
Group Z	33	34	28	24	19	48	44	41	33	28	1075000	77
All New Zealand	26	38	29	28	18	36	48	42	38	26	4331000	41

Group Z : Cities and districts where the percentage of vehicle kilometres travelled in urban areas is less than 30 percent.

N/A : Denotes that data for vehicle kilometres travelled (VKT) is not available or inappropriate for some categories.

Crashes and casualties per 100 million VKT are based on five years of reported injury on-road crash data (2005-2009) and December 2009 VKT estimates.

Crashes and casualties per 10,000 population are based on five year average crash data (2005-2009) and Statistics NZ 2009 population estimates.








Figure 1.11	Social cost	of crashes	in Wanganui	East in 2009
riguie i.i.i	Social Cost	or crashes	in mangana	

		Wanganui East	New Zealand
Council roads	urban	\$2.53	\$1,607.40
Council roads	rural	\$0.97	\$909.43
State Highways	urban	\$12.79	\$299.76
State Highways	rural	\$92.51	\$1,487.35
Total		\$108.81	\$4,303.94

Note: Crash costs are in \$ millions

The social costs of a road crash and the associated injuries include a number of different elements:

- Loss of life and life quality
- Loss of output due to temporary incapacitation
- Medical costs
- Legal costs
- Property damage costs

The average value of a loss of life due to a road crash is estimated by the amount of money the New Zealand population would be willing to pay for a safety improvement that would result in the expected avoidance of one premature death. This is the willingness to pay based value of statistical life or VOSL. The VOSL was established at \$2 million in 1991. This has been indexed to the average hourly earnings (ordinary time) to express the value in current dollars. The updated VOSL is \$3.5 million (in June 2009 dollars). Based on several international and New Zealand studies on VOSL, the average loss of life quality for permanent impairments due to a serious and a minor injury were estimated to be 10% and 0.4% of the VOSL respectively.

Crash rates can vary due to reporting rates. These are adjusted on a regional basis in this report by comparing with hospitalisation rates.

The other social cost components are estimated based on a number of studies conducted during the early to mid-1990s and are updated for price changes by indexing to an appropriate price index.

For a detail discussion on this, please refer to 'The social cost of road crashes and injuries: June 2009 update', available at the Ministry of Transport's website: http://www.transport.govt.nz/assets/NewPDFs/NewFolder/Social-Cost-June-2009-update-final.pdf

The average social cost per reported crash (in June 2009 dollars) are estimated at:

Rural fatal crash	\$4,260,000
Rural serious crash	\$820,000
Rural minor crash	\$91,000
Urban fatal crash	\$3,775,000
Urban serious crash	\$699,000
Urban minor crash	\$82,000

These values include an allowance for non-reported injury crashes, and the totals in Fig. 1.11 also include an allowance for non–injury crashes.





Wanganui East S.H. Road Safety Report 2005-2009

Crash Counts





	2005	2006	2007	2008	2009	Total	%	Group Z
Fatal crashes	10	16	14	10	13	63	6%	6%
Serious crashes	57	48	46	51	40	242	24%	23%
Minor crashes	140	151	131	148	135	705	70%	71%
Total injury crashes	207	215	191	209	188	1010	100%	100%
Non-injury crashes	377	399	370	356	340	1842		

Figure 2.1: Crash numbers and severity 2005 to 2009 - whole Region

Figure 2.2: Crash numbers and severity 2005 to 2009 - urban roads

	2005	2006	2007	2008	2009	Total	%	Group Z
Fatal crashes	0	4	2	2	1	9	4%	4%
Serious crashes	6	6	7	8	4	31	13%	17%
Minor crashes	39	31	35	36	50	191	83%	80%
Total injury crashes	45	41	44	46	55	231	100%	100%
Non-injury crashes	138	120	122	114	129	623		

Figure 2.3: Crash numbers and severity 2005 to 2009 - rural roads

	2005	2006	2007	2008	2009	Total	%	Group Z
Fatal crashes	10	12	12	8	12	54	7%	7%
Serious crashes	51	42	39	43	36	211	27%	24%
Minor crashes	101	120	96	112	85	514	66%	69%
Total injury crashes	162	174	147	163	133	779	100%	100%
Non-injury crashes	239	279	248	242	211	1219		

Figure 2.4: Casualty numbers and severity 2005 to 2009 - whole Region


	2005	2006	2007	2008	2009	Total	%	Group Z
Fatal casualties	12	19	17	11	17	76	5%	5%
Serious casualties	78	68	76	71	47	340	22%	21%
Minor casualties	245	254	206	226	206	1137	73%	74%
Total casualties	335	341	299	308	270	1553	100%	100%

Figure 2.5: Casualty numbers and severity 2005 to 2009 - urban roads


	2005	2006	2007	2008	2009	Total	%	Group Z
Fatal casualties	0	4	3	2	1	10	3%	3%
Serious casualties	6	6	7	13	4	36	12%	15%
Minor casualties	48	54	49	55	59	265	85%	82%
Total casualties	54	64	59	70	64	311	100%	100%


Figure 2.6: Casualty numbers and severity 2005 to 2009 - rural roads


	2005	2006	2007	2008	2009	Total	%	Group Z
Fatal casualties	12	15	14	9	16	66	5%	5%
Serious casualties	72	62	69	58	43	304	24%	22%
Minor casualties	197	200	157	171	147	872	70%	73%
Total casualties	281	277	240	238	206	1242	100%	100%





















Wanganui East S.H. Road Safety Report 2005-2009

Road User Statistics










% of rural casualties


Note: While the graph plots percentages, the number of casualties is shown against the data points. *Denotes statistically significant difference between Local Authority and National or Peer Group Proportions

















































































Wanganui East S.H. Road Safety Report 2005-2009


Crash Type Statistics





















Wanganui East S.H. Road Safety Report 2005-2009


Crash Factor Statistics










































Environmental Statistics








































Date and Time Statistics








Wanganui East S.H. Road Safety Report 2005-2005

NZ TRANSPORT AGENCY

71







Crash Location Statistics





Table 9.3: State Highway Urban and Rural Black Spot List (Injury and Non-Injury Crashes)

Urban Site Radius = 30 metres Rural Site Radius = 250 metres

Sites with 3 or more injury crashes or more than \$1500000 in social costs

CRASH ROAD			SIDE ROAD	2005	2006	2007	2008	2009	TOTAL	Non- I njury	Wet Crash %	Dark Crash %	Crash Costs
SH 56	Т		TE WANAKA ROAD	3	0	3	1	0	7	4	43	57	\$9,742,024
SH 1N	I		WAITARERE BEACH ROAD	3	0	0	0	4	7	3	0	43	\$9,295,444
SH 2		500 S	CONDOIT ROAD	1	3	1	1	0	6	3	67	33	\$8,970,207
SH 57		2500 E	POTTS ROAD	1	0	0	1	1	3	1	0	33	\$8,803,837
SH 57	Т		QUEEN ST EAST	2	9	1	2	1	15	6	27	20	\$6,660,674
SH 3	Т		FLYGERS LINE	6	1	4	1	3	15	10	13	33	\$6,155,329
SH 1N	Т		WHAKAHORO ROAD	0	4	2	2	4	12	6	67	33	\$6,083,637
SH 1N	Т		WELLINGTON ROAD	2	3	1	1	0	7	3	0	29	\$5,974,407
SH 1N		500 N	KOPUTAROA ROAD	2	2	0	1	0	5	2	40	60	\$5,961,170
SH 1N	Т		ONSLOW ST	3	0	3	2	6	14	9	36	36	\$5,750,825
SH 1N		600 S	SH 54	1	1	0	2	0	4	1	0	0	\$5,404,217
SH 1N	Т		SOUTH MANAKAU ROAD	1	0	8	2	1	12	7	42	58	\$5,181,798
SH 57	Т		ORRS ROAD	0	1	1	0	2	4	1	25	0	\$5,178,817
SH 1N	Т		GLEESON ROAD	0	1	2	2	2	7	4	14	0	\$5,127,306
SH 3		2000 E	MAKIRIKIRI ROAD	0	1	1	3	1	6	3	50	50	\$5,090,549
SH 56	Т		ALVE ROAD	3	3	0	1	2	9	6	67	44	\$4,985,752
SH 57		100 S	HEATHERLEA EAST ROAD	1	8	1	2	0	12	8	33	75	\$4,934,745
SH 1N		1350 S	MAIN ST	0	0	2	0	1	3	1	67	33	\$4,927,937
SH 54	Т		WAITUNA TAPUAE ROAD	1	1	3	1	0	6	3	17	83	\$4,866,211
SH 56	Т		WALKERS ROAD	3	3	0	0	0	6	4	17	0	\$4,825,018
SH 57		750 S	HEIGHTS ROAD	1	2	1	0	0	4	1	0	0	\$4,798,577
SH 1N		350 N	ONSLOW ST	2	2	0	2	3	9	3	44	78	\$4,761,188
SH 1N		180 S	TE HOUHOU ROAD	1	4	0	0	1	6	3	50	50	\$4,659,268
SH 3		170 N	STATION ROAD	1	0	3	2	1	7	2	57	71	\$4,616,610
SH 3	Т		PUKEPAPA ROAD	2	1	0	0	1	4	2	25	25	\$4,528,410
SH 57		300 W	MILLRICKS LINE	3	0	2	0	2	7	4	29	29	\$4,521,198
SH 3		400 N	HANSENS LINE	0	1	1	2	3	7	4	43	71	\$4,514,806
SH 1N		800 N	WHAKAHORO ROAD	1	1	1	3	1	7	5	29	57	\$4,467,100
SH 2		670 S	RANFURLY ST	1	1	0	3	0	5	2	20	40	\$4,448,050
SH 56		20 N	WILSONS ROAD	0	1	0	1	1	3	2	0	33	\$4,428,634
SH 1N		2000 S	DEACONS ROAD	1	0	3	1	2	7	6	29	29	\$4,414,758
SH 57	Т		SLIP ROAD	0	2	1	0	1	4	1	50	25	\$4,410,416
SH 56		500 S	WILSONS ROAD	1	1	2	0	1	5	3	40	20	\$4,400,629
SH 2		400 N	CORBY ROAD	2	1	0	3	0	6	5	67	17	\$4,382,636
SH 3	Т		JAMES LINE	2	1	1	0	2	6	5	33	33	\$4,382,636
SH 57		1000 N	POTTS ROAD	1	1	1	0	1	4	2	50	75	\$4,356,829
SH 57		600 S	SH 56	0	1	2	1	0	4	2	50	25	\$4,354,072
SH 3	Т		PENNY ROAD	0	2	0	0	1	3	1	33	0	\$4,323,196
SH 57		900 W	SCOTTS ROAD	0	0	1	2	1	4	3	0	25	\$4,301,731
SH 1N	Т		SPOONERS HILL ROAD	0	1	1	0	1	3	2	0	67	\$4,266,852
SH 2		40 W	MARTIN ROAD	0	1	0	0	2	3	2	0	67	\$4,266,852
SH 56		400 W	MAXWELLS LINE	1	0	0	1	1	3	0	33	100	\$3,943,960
SH 57	Т		MOONSHINE VALLEY ROAD	2	2	0	1	0	5	4	60	60	\$3,875,095
SH 1N	Т		UNION ST	0	0	0	1	2	3	2	0	67	\$3,295,040
SH 3	I		TE MATAI ROAD	8	4	2	1	1	16	11	31	50	\$2,847,285
SH 2		500 S	VAUGHAN ROAD	2	2	3	5	1	13	8	62	15	\$2,822,292
SH 54	Т		DERBY ST	4	3	6	3	1	17	7	18	18	\$2,725,000
SH 57	Т		WALLACE ROAD	4	1	1	3	0	9	4	22	33	\$2,678,900
SH 3	Т		TREMAINE AVENUE	9	10	7	10	10	46	37	24	37	\$2,261,601
SH 54		500 W	WAUGHS ROAD	1	0	1	1	1	4	1	0	25	\$2,261,357



Table 9.3: State Highway Urban and Rural Black Spot List (Injury and Non-Injury Crashes)

Urban Site Radius = 30 metres Rural Site Radius = 250 metres

Sites with 3 or more injury crashes or more than \$1500000 in social costs

CRASH ROAD			SIDE ROAD	2005	2006	2007	2008	2009	TOTAL	Non- I njury	Wet Crash %	Dark Crash %	Crash Costs
SH 3	T		RUAHINE ST	5	3	2	4	1	15	9	40	40	\$1,929,874
SH 57	T		KIMBERLEY ROAD	3	3	5	2	1	14	9	36	29	\$1,911,206
SH 1N	T		HIGHWAY 56	0	0	3	5	2	10	4	10	30	\$1,895,347
SH 54	T		SH 54	2	3	3	2	3	13	10	23	15	\$1,875,443
SH 2	T		WI DUNCAN ROAD	2	2	2	3	4	13	10	38	46	\$1,866,521
SH 2		1050 S	TAMAKI RIVER ROAD	2	0	2	0	1	5	1	40	40	\$1,861,517
SH 3	I		PRINCESS ST	4	4	6	5	3	22	16	18	32	\$1,844,218
SH 57	I		TURITEA ROAD	0	3	0	1	4	8	2	13	50	\$1,837,514
SH 3		1000 S	MAKIRIKIRI ROAD	1	5	0	0	1	7	3	14	0	\$1,830,008
SH 3	T		KAIRANGA BUNNYTHORPE	5	3	6	6	1	21	16	14	14	\$1,785,856
SH 3	T		SH 57	2	1	0	1	3	7	2	14	14	\$1,759,114
SH 3	I		MOUNT STEWART HALCON	1	2	1	1	2	7	5	0	57	\$1,715,443
SH 56	I		HIGHWAY 56	3	1	1	1	2	8	5	13	25	\$1,684,595
SH 54	I		MILSON LINE	2	5	3	5	6	21	16	33	24	\$1,662,661
SH 54		1800 S	SH 1N	0	2	2	2	0	6	2	33	33	\$1,654,172
SH 2		300 S	TATARAMOA ROAD	1	2	1	1	0	5	1	40	60	\$1,631,217
SH 1N	I		SOLDIERS ROAD	1	0	2	1	0	4	2	0	0	\$1,598,394
SH 57		1000 W	VICTORIA ROAD	1	0	0	2	1	4	2	0	75	\$1,598,394
SH 57	I		SH 56	2	1	9	3	3	18	12	22	17	\$1,595,339
SH 2		1000 N	OLD MAIN ROAD	1	2	0	0	0	3	1	0	33	\$1,568,416
SH 54		600 S	TAPUAE ROAD	1	1	0	0	1	3	1	33	33	\$1,566,537
SH 1N	T		SH 57	3	5	4	7	6	25	16	32	16	\$1,408,841
SH 54	T		CAMPBELL ROAD	2	3	1	1	1	8	2	38	13	\$1,358,212
SH 1N	T		MCLEAVEY ROAD	4	2	2	1	1	10	7	20	20	\$1,275,969
SH 3	I		STONEY CREEK ROAD	3	1	1	1	4	10	5	0	10	\$1,229,594
SH 1N	1		KUKU EAST ROAD	1	2	2	3	3	11	8	27	18	\$1,177,750
SH 57 TENNENT DRIVE	T		OLD WEST ROAD	0	4	1	3	2	10	6	20	40	\$1,175,517
SH 57	T		BUCKLEY ROAD	2	0	2	0	1	5	1	20	0	\$1,133,377
SH 1N	T		RAUMA ROAD	1	2	2	1	0	6	3	17	33	\$1,113,628
SH 3		5000 E	SH 57	0	1	3	1	3	8	4	63	88	\$1,110,286
SH 1N	T		BATH ST	3	2	6	3	4	18	12	22	22	\$1,075,673
SH 1N		60 N	POREWA ROAD	2	1	0	0	1	4	1	25	75	\$1,052,037
SH 56	I		JACKEYTOWN ROAD	1	1	2	1	1	6	2	33	50	\$1,046,572
SH 3	I		FEATHERSTON ST	9	11	8	9	5	42	36	14	26	\$1,037,761
SH 1N	T		LINDSAY ROAD	1	1	0	0	5	7	4	0	57	\$1,025,823
SH 1N	I		HIMATANGI RADIO STATIOI	1	2	0	0	2	5	1	0	20	\$1,018,717
SH 56		500 S	MAXWELLS LINE	2	1	0	0	0	3	0	0	33	\$1,015,280
SH 56	I		RESERVE ROAD	2	2	0	1	1	6	2	17	83	\$1,003,165
SH 1N	I		MAKIRIKIRI ROAD	0	3	2	0	1	6	3	33	17	\$994,068
SH 2		300 S	CORBY ROAD	2	0	2	2	0	6	3	67	17	\$989,944
SH 2		130 S	BLAIRGOWRIE ROAD	1	1	1	2	0	5	2	20	20	\$959,352
SH 3	I		RANGITIKEI ST	3	3	3	3	5	17	13	29	41	\$958,971
SH 3	I		FRANKLIN ROAD	0	1	1	2	1	5	2	40	20	\$953,554
SH 1N		500 N	WALL ROAD	0	0	1	3	1	5	2	20	60	\$947,674
SH 2	I		BRIDGE ROAD	1	2	0	0	1	4	1	25	0	\$924,454
SH 57		500 N	MARINOTO ROAD	0	0	1	1	2	4	1	25	25	\$910,917
SH 57	I		KONINI ROAD	1	1	1	0	0	3	0	33	67	\$888,860
SH 2			OTANGA ROAD	1	0	1	0	1	3	0	33	67	\$883,960
SH 2		140 N	PIRIPIRI ROAD	0	1	0	1	1	3	0	0	0	\$879,060
SH 3	I		PALMERSTON ST	0	0	1	1	1	3	0	0	33	\$874,160
	•			5	5		•		5	5	5		<i>ф</i> 31-т, 100



Table 9.3: State Highway Urban and Rural Black Spot List (Injury and Non-Injury Crashes)

Urban Site Radius = 30 metres Rural Site Radius = 250 metres

Sites with 3 or more injury crashes or more than \$1500000 in social costs

										Non-	Wet Crash	Dark Crash	
CRASH ROAD			SIDE ROAD	2005	2006	2007	2008	2009	TOTAL	Injury	%	%	Crash Costs
SH 2	I		PRINCESS ST	0	3	2	1	4	10	6	50	10	\$834,604
SH 3	I		GREY ST	0	2	3	1	2	8	5	13	50	\$749,212
SH 1N	I		EXETER ST	1	1	1	3	1	7	4	0	0	\$731,754
SH 2		300 N	MAHARAHARA ROAD	1	5	1	2	1	10	6	30	70	\$593,575
SH 56	I		TANE ROAD	2	1	3	2	3	11	8	36	36	\$563,107
SH 1N	I		MUHUNOA WEST ROAD	1	2	1	5	1	10	7	20	10	\$536,517
SH 3	Т		JOHN F KENNEDY DRIVE	4	3	7	1	3	18	14	11	44	\$515,383
SH 54	I.		KIMBOLTON ROAD	2	5	1	3	2	13	8	8	15	\$481,642
SH 1N	I.		HIGH ST	2	0	2	1	6	11	6	9	18	\$445,754
SH 3	I.		UPPER MAIN ST	3	3	2	2	6	16	13	19	13	\$434,309
SH 1N	I.		NGAWAKA ROAD	0	1	1	1	2	5	0	40	80	\$432,180
SH 1N	I.		WILSON ROAD	2	1	2	1	1	7	4	14	29	\$430,166
SH 1N		100 S	QUEEN ST EAST	1	1	1	1	4	8	3	0	0	\$393,652
SH 1N	Т		MOKENA KOHERE ST	2	0	2	1	1	6	3	50	50	\$384,487
SH 1N		830 N	SILVERHOPE ROAD	1	2	1	2	0	6	3	17	33	\$382,446
SH 2		240 N	DAVEY ROAD	1	1	1	3	0	6	3	50	17	\$380,567
SH 2		50 N	STURDEE ROAD	2	1	0	1	1	5	2	40	80	\$356,652
SH 1N		1200 N	OTARA ROAD	0	2	0	3	0	5	2	40	20	\$342,932
SH 1N	I.		ONEPUHI ROAD	0	2	0	3	0	5	2	40	80	\$342,932
SH 57	I.		OKUKU ROAD	0	2	0	1	2	5	2	20	20	\$342,932
SH 3	I.		KING ST	3	1	2	0	0	6	3	33	17	\$313,543
SH 56		1250 S	WILSONS ROAD	1	0	1	2	0	4	1	25	25	\$308,217
SH 3		900 N	FLYGERS LINE	1	1	0	1	1	4	1	25	100	\$307,054
SH 3		500 E	HANSENS LINE	0	2	1	0	1	4	1	25	25	\$306,176
SH 2		460 S	HOPELANDS ROAD	0	0	1	3	0	4	1	75	25	\$298,417
SH 1N	I.		QUEEN ST EAST	1	4	0	0	3	8	5	13	50	\$292,608
SH 3	I.		GUY AVENUE	3	0	1	2	2	8	5	13	38	\$292,478
SH 3	Т		ALBERT ST	1	0	2	4	1	8	5	25	25	\$290,764
SH 2		850 N	MANGATERA BR	2	0	1	0	0	3	0	33	33	\$281,260
SH 54	Т		DENBIGH ST	1	3	1	1	1	7	4	29	14	\$275,954
SH 3	I.		FITZROY ST	0	2	2	1	2	7	4	43	14	\$273,504
SH 3	I.		HILLCREST ROAD	1	0	1	0	1	3	0	0	0	\$271,460
SH 54 KIMBOLTON	Т		EAST ST	0	2	0	2	2	6	3	33	0	\$256,912
SH 2	Т		SWINBURN ST	1	1	1	1	0	4	1	0	25	\$223,790



Table 9.5 : State Highway Crash Sites with a Significant Increase in Crashes in 2009 (Injury and Non-Injury Crashes)

Urban Site Radius = 30 metres Rural Site Radius = 250 metres

CRASH ROAD			SIDE ROAD	2004	2005	2006	2007	2008	2009	TOTAL	Non- Injury	Wet Crash %	Dark Crash %
SH 1N	I		ONSLOW ST S	5	3	0	3	2	6	19	13	42	42
SH 3	I		UPPER MAIN ST	2	3	3	2	2	6	18	14	17	11
SH 1N	1		SH 3	4	2	0	2	1	6	15	10	7	20
SH 3	L		STONEY CREEK ROAD	1	3	1	1	1	4	11	6	0	9
SH 1N	А		OHAU RLY OBR	2	1	0	1	2	4	10	8	10	30
SH 57	1		TURITEA ROAD	1	0	3	0	1	4	9	3	11	56
SH 1N		100 S	QUEEN ST EAST	0	1	1	1	1	4	8	3	0	0
SH 1N	L		LINDSAY ROAD	1	1	1	0	0	5	8	4	13	63
SH 3	L		KEITH ST	1	1	1	0	0	4	7	5	0	14
SH 3		400 N	HANSENS LINE	0	0	1	1	2	3	7	4	43	71
SH 1N	I		WAITARERE BEACH ROAD	0	3	0	0	0	4	7	3	0	43
SH 1N	I		WHYTE ST	1	1	1	0	0	3	6	5	0	17
SH 3		300 E	MAKIRIKIRI ROAD	1	0	0	1	1	3	6	6	0	17
SH 56	I		ASHLEA ROAD	1	0	1	0	1	3	6	6	33	33
SH 3	I		MIRO ST	1	0	0	0	1	3	5	4	0	40
SH 3	I		NGATA ST	0	0	0	0	2	3	5	5	20	40
SH 2	I		YORK ST	1	0	0	1	0	3	5	4	0	0
SH 57		380 S	OLD WEST ROAD	0	0	0	0	1	2	3	3	33	67
SH 3		850 N	STONEY CREEK ROAD	0	1	0	0	0	2	3	3	0	0
SH 1N	I		UNION ST	0	0	0	0	1	2	3	2	0	67
SH 57	I		POTTS ROAD	0	0	1	0	0	2	3	1	33	33
SH 54	I		NORTH ST	1	0	0	0	0	2	3	3	33	0
SH 2	I		HUIA ST	0	0	0	0	1	2	3	2	33	33
SH 1N	I		MILNER ROAD	1	0	0	0	0	2	3	2	100	33
SH 1N		1000 N	KIE KIE ROAD	0	1	0	0	0	2	3	1	67	0

appendix


- Groupings of crash types
- Grouping of contributing factors
- General factor list
- General movement types

Appendix

Explanatory notes for the appendix

- Each traffic crash report has a diagram and a description of what happened. These are used to classify the movements the vehicles were making when they crashed eg 'collided with parked vehicle', or 'lost control while overtaking'. In this report, crash types are grouped into seven categories. The following page shows the types of crashes which are included in each group.
- 2. Traffic crash reports also include information on why the crash occurred, or on factors contributing to the crash. In this report the hundreds of contributing factor codes used by New Zealand Transport Agency have been condensed into 16 groups for practical reasons. Lists of the factor groups used in this report, and of all the contributing factors used by New Zealand Transport Agency, are shown on the following pages.
- 3. Note that in the year 2000 there were some minor changes to the contributing factor groups. The most significant change was that 'inattention' was grouped with 'inadequate check' to form 'poor observation'. This allowed a more accurate assessment of 'fatigue' as a contributing factor, as it now has its own grouping.
- The factor group 'poor handling' includes factor codes that were only introduced in 1998. This could explain why there may have been a sudden change at this time.
- 5. The coding of the factors contributing to a crash is subjective. Therefore analysis using contributing factor groups needs to be interpreted with caution. Also, to effectively target safety or enforcement campaigns more analysis of the specific contributing factors involved may be needed.
- 6. It should be noted that a traffic crash generally has more than one contributing factor. Therefore, adding the number of crashes on graphs showing the number of crashes with a given factor or factor group will be greater than the total number of crashes in the city or district.

Groupings of crash types



Groupings of contributing factors

Factor group	Factor codes included
Alcohol involved	100 – 101
	103 – 109
Too fast	110 – 119
	430 – 432
Failed to give way or stop	300 – 314
	320 – 328
Failed to keep left	120 – 128
Failed to keep left	205
	203
Overtaking	150 – 161
	100
Incorrect lanes or position	129 170 – 183
	200 - 204
	200 – 204 206 – 209
	440 - 448
	440 - 448
Poor handling	130 – 134
5	137 – 149
	420 – 429
Poor observation	330 – 360
	370 – 379
Poor judgement	380 – 387
roor judgement	400 - 407
Fatigue	410 – 415
	500 507
Disabled, old age or illness	500 – 507
Pedestrian factors	700 – 731
Cyclist factors	Any factor coded against a
	cyclist
	10/ /00 /00
Vehicle factors	136, 600 – 699
Road factors	135, 800 – 899
	100,000 - 077
Weather	900 – 909

Note:

The following factor codes are not included as they do not fit adequately into any of the above groupings: 102, 106, 190–198, 433, 434, 510–534 and 910–999.



NZ TRANSPORT AGENCY VEHICLE MOVEMENT CODING SHEET

For use with crash data from CAS (Version 2.8 May 2010)

	TYPE	Α	В	С	D	Е	F	G	0
A	OVERTAKING AND LANE CHANGE	PULLING OUT OR CHANGING LANE TO RIGHT	HEAD ON	CUTTING IN OR CHANGING LANE TO LEFT	LOST CONTROL (OVERTAKING VEHICLE)	SIDE ROAD	LOST CONTROL (OVERTAKEN VEHICLE)	WEAVING IN HEAVY TRAFFIC	OTHER
В	HEAD ON	ON STRAIGHT	CUTTING CORNER	SWINGING WIDE	BOTH OR UNKNOWN	LOST CONTROL ON STRAIGHT	LOST CONTROL ON CURVE		OTHER
С	LOST CONTROL OR OFF ROAD (STRAIGHT ROADS)	OUT OF CONTROL ON ROADWAY	OFF ROADWAY TO LEFT	OFF ROADWAY TO RIGHT					OTHER
D	CORNERING	LOST CONTROL TURNING RIGHT	LOST CONTROL TURNING LEFT	MISSED INTERSECTION OR END OF ROAD					OTHER
Е	COLLISION WITH OBSTRUCTION	PARKED VEHICLE	CRASH OR BROKEN DOWN	NON VEHICULAR OBSTRUCTIONS (INCLUDING ANIMALS)	WORKMANS VEHICLE	OPENING DOOR			OTHER
F	REAR END	SLOWER VEHICLE	CROSS TRAFFIC		QUEVE				OTHER
G	TURNING VERSUS SAME DIRECTION	REAR OF LEFT TURNING VEHICLE	LEFT TURN SIDE SIDE SWIPE	STOPPED OR TURNING FROM LEFT SIDE	NEAR CENTRE LINE	OVERTAKING VEHICLE	TWO TURNING		OTHER
Н	CROSSING (NO TURNS)	RIGHT ANGLE (70° TO 110°)							OTHER
J	CROSSING (VEHICLE TURNING)	RIGHT TURN RIGHT SIDE	OPPOSING RIGHT TURNS	TWO TURNING					OTHER
K	MERGING	LEFT TURN IN	RIGHT TURN IN	TWO TURNING					OTHER
L	RIGHT TURN AGAINST	STOPPED WAITING TO TURN	MAKING TURN						OTHER
Μ	MANOEUVRING	PARKING OR LEAVING	"U" TURN	"U" TURN	DRIVEWAY MANOEUVRE	ENTERING OR LEAVING FROM OPPOSITE SIDE	ENTERING OR LEAVING FROM SAME SIDE	REVERSING ALONG ROAD	OTHER
Ν	PEDESTRIANS CROSSING ROAD		RIGHT SIDE	LEFT TURN LEFT SIDE	RIGHT TURN RIGHT SIDE	LEFT TURN RIGHT SIDE	RIGHT TURN LEFT SIDE	MANOEUVRING VEHICLE	OTHER
Ρ	PEDESTRIANS OTHER	WALKING WITH TRAFFIC	WALKING FACING TRAFFIC	WALKING ON FOOTPATH	CHILD PLAYING (INCLUDING TRICYCLE)		ENTERING OR LEAVING VEHICLE		OTHER
Q	MISCELLANEOUS	FELL WHILE BOARDING OR ALIGHTING	₩ →Ho/ FELL FROM MOVING VEHICLE		PARKED VEHICLE RAN AWAY		FELL INSIDE VEHICLE	TRAILER OR LOAD	OTHER

New Zealand Government

* = Movement applies for left and right hand bends, curves or turns

FACTORS PROBABLY CONTRIBUTING TO CRASHES (Version 1.8- 2 November 2009)

DRIVER CONTROL

100 Alcohol or drugs

101 Alcohol suspected

- 102 Alcohol test below limit 103 Alcohol test above limit or test refused
- 104 Alcohol test result unknown 105 Intoxicated non-driver (pedestrian / cyclist / passenger)
- 106 (MOT only) dead driver not suspect, tested neg
- 107 108 Drugs suspected
- 109 Drugs proven

110 Too fast for conditions

- 111 Cornering
- 112 On straight 113 To give way at intersection
- 114 Approaching railway crossing 115 When passing stationary school bus
- 116 At temporary speed limit 117 At crash or emergency

120 Failed to keep left

- 121 Swung wide on bend 122 Swung wide at intersection
- 123 Cutting corner on bend 124 Cutting corner at intersection
- 125 On straight section 126 Vehicle crossed raised median
- 127 Driving or riding abreast (cyclists more than 2 abreast) 128 Wandering or wobbling 129 Too far left / right

130 Lost control

- 131 When turning
- 132 Under heavy braking
- 133 Under heavy acceleration134 While returning to seal from unsealed shoulder
- 135 Due to road conditions (requires road series code)
- 136 Due to vehicle fault (requires vehicle series code)
- 137 Avoiding another vehicle, pedestrian, party or obstacle on roadway
 138 On unsealed road
 139 End of seal

- 140 Failed to signal in time
- 141 When moving to left, pulling over to left 142 When turning left
- 143 When pulling out or moving to the right 144 When turning right
- 145 Incorrect Signal

- 150 **Overtaking** 151 Overtaking line of traffic or queue
 - 152 Deliberately in the face of oncoming traffic 153 Failed to notice oncoming traffic
 - 154 Misjudged speed or distance of oncoming traffic

 - 155 At no passing line 156 With insufficient visibility
 - 157 At an intersection without due care
 - 158 On left without due care
 - 159 Cut in after overtaking

 - 160 Vehicle signalling right turn161 Without care at a pedestrian crossing

170 Wrong lane or turned from wrong position

- 171 Turned left from incorrect lane 172 Turned left from incorrect lane 173 Travelled straight ahead from turning lane or flush median
- 174 Turned right from left side of road
- 175 Turned left from near centre line 176 Turned into incorrect lane

- 177 Weaving or cut in on multi-lane roads 178 Moved left to avoid slow vehicle 179 Long vehicle tracked outside lane

- 180 In line of traffic 181 Following too closely
 - 182 Travelling unreasonably slowly 183 Motorist crowded cyclist

 - 184 Incorrect merging /diverging manoeuvre

190 Sudden action 191 Braked

- 192 Turned left
- 193 Turned right 194 Swerved to avoid pedestrian
- 195 Swerved to avoid animal 196 Swerved to avoid crash or broken down vehicle
- 197 Swerved to avoid vehicle 198 Swerved to avoid object or for unknown reason
- 199 Avoiding approaching emergency vehicle

200 Forbidden movements

201 Wrong way in one way street, motorway or roundabout

380 Misjudged speed, distance, size or position of: 381 Other vehicle coming from behind or alongside

right of way 383 Pedestrian movement or intention 384 Towed vehicle, or while towing a vehicle

385 Size or position of fixed object or obstacle 386 Of own vehicle

400 Inexperience 401 In driving in fast, complex or heavy traffic 402 New driver showed inexperience 403 Driving unfamiliar vehicle 404 Overseas / migrant driver fails to adjust to NZ

387 Misjudged intentions of another party

road rules and road conditions 405 Driver under instruction

406 At towing trailer / other vehicle 407 Driver over-reacted

410 Fatigue (drowsy, tired, fell asleep)

414 Worked long hours before driving 415 Exceeded driving hours

422 Static engine 423 Wrong pedal 424 Footrest, stand 425 Ignition turned off (steering locked) 426 Lights not switched on

427 Foot slipped or caught under pedal 428 Parking brake not fully applied 429 Trailer coupling or safety chain not secured

433 Wheel spins / wheelies / doughnuts / drifting 434 Intimidating driving

440 Parked or stopped
441 Inadequately lit at night: (not lit by street lights or park lights off)

442 At point of limited visibility 443 Not as close as practicable to side of road

500 Illness and disability
 501 Illness with no warning e.g. heart attack, unexpected epilepsy)
 502 Physically disabled

503 Defective vision 504 Medical illness (not sudden) flu, diabetes

505 Mental illness (depression, psychosis) 506 Suicidal (but not successful)

511 Deliberate homicide (only if succeeded)512 Intentional collision

513 Committed suicide (only if succeeded) 514 Evading enforcement 515 Object deliberately thrown at or dropped on urbited (abot 1

520 Driver or passenger, boarding, leaving , in vehicle

507 Impaired ability due to old age

vehicle / shot at 516 Object thrown from vehicle 517 Stolen vehicle

523 Riding in insecure position 524 Interfered with driver

527 Child playing in parked vehicle

521 Boarding moving vehicle 522 Intentionally leaving moving vehicle

525 Opened door inadvertently 526 Overloaded vehicle (with passengers)

530 **Miscellaneous person** 531 Casualty drowned 532 Casualty thrown from vehicle 533 Equestrian not keeping to verge 534 Cyclist or M/cyclist wearing dark clothing

510 Intentional or criminal

444 On incorrect side of road 445 Double parked 446 In 'No Stopping' area 447 Not clear of rail crossing

448 In cycle or Transit lane

GENERAL PERSON

420 Incorrect use of vehicle controls

408 Unsupervised cyclist

411 Long trip 412 Lack of sleep 413 Exhaust fumes

421 Started in gear 422 Stalled engine

430 Showing off

431 Racing 432 Playing chicken

GENERAL DRIVER

382 Other vehicle coming from another direction with

- 202 When turning or U turning contrary to a
- sign 203 Contrary to "in" or "out" only driveway sign
- 204 Driving or riding on footpath 205 On incorrect side of island or median
- 206 Contrary to "no entry" sign 207 In Car Park

- 208 Motor vehicle in cycle lane 209 Bus / Transit lane 210 Cyclist riding on ped-xing / ped signals

VEHICLE CONFLICTS

- 300 Failed to give way

320 Did not stop

321 At stop sign 322 At steady red light 323 At steady red arrow 324 At steady amber light

325 At steady amber arrow

etc) 327 For police or flag-person

330 Inattentive: failed to notice

333 Indication of vehicle in front 334 Traffic lights

341 Obstructions on Roadway

350 Attention diverted by: 351 Passengers

destination

361 Navigation device

363 Driver dazzled

too late

liaht

353 Other traffic

359 Cell phone 360

362

332 Bend in road

328 For school patrol / kea crossing

- 301 At Stop sign 302 At Give Way sign 303 When turning to non-turning traffic 304 When deemed turning by markings, not aeometry
- 305 When turning left, to opposing right
- turning traffic 306 To pedestrian on a crossing 307 When turning at signals to pedestrians 308 When entering roadway from driveway
- 309 To traffic approaching or crossing from the
- right
- 310 Failed to give way at one lane bridge / road
 311 Failed to give way to pedestrian on footpath or verge
 312 Entering roadway not from driveway or
- intersection 313 To emergency vehicle 314 Driver waved through

326 At flashing red lights (Rail Xing, Fire Stn

331 Vehicle slowing, stopping or stationary in front

335 Intersection or its Stop / Give Way control336 Other regulatory sign / markings

337 Warning sign 338 Direction, information signs / markings 339 Road-works signs 340 Lane use arrows / markings?

352 Scenery or persons outside vehicle

354 Animal or insect in vehicle 355 Trying to find intersection, house number,

astination 356 Advertising or signs 357 Emotionally upset /road rage 358 Cigarette, radio, heater, AC, glove box, obj under drivers feet/pedals etc

CB radio/ non cell comms device

370 Did not see or look for another party until

371 Behind when reversing / manoeuvring 372 Behind when changing lanes position or

direction (includes U-turns) 373 Behind when pulling out from parked

position 374 Behind when opening door or leaving

vehicle 375 When required to give way to traffic from

another direction 376 When required to give way to pedestrians.

377 When visibility obstructed by other vehicles 378 When visibility limited by roadside features 379 When first in queue on receiving green

VEHICLES

600 Lights and reflectors at fault or dirty 601 Dazzling headlights

- 602 Headlights inadequate or no headlights 603 Headlights failed suddenly 604 Brake-lights or indicators faulty or not fitted 605 Tail-lights inadequate or no tail-lights
- 606 Reflectors inadequate or no reflectors 607 Lights or reflectors obscured

610 Brakes

- 611 Parking brake failed 612 Parking brake defective 613 Service brake failed
- 614 Service brake defective
- 615 Jack-knifed

620 Steering

- 621 Defective 622 Failed suddenly
- 630 Tyres
- 631 Puncture or blow-out
- 632 Worn tread on tyre
- 633 Incorrect tyre type 634 Mixed treads / space savers

640 Windscreen or mirror

- 641 Shattered windscreen642 Windscreen or rear window dirty
- 643 Rear vision mirror not adjusted correctly 644 No rear vision mirror
- 645 Windscreen or rear window misted/frosted 646 Inadequate or no sun-visors
- 647 Inadequate of no windscreen wipers 648 Cycle / Motorcycle visor, glasses, goggles or screen

650 Mechanical

- 651 Engine failure 652 Transmission failure (including chains and gears)
- 653 Accelerator or throttle jammed

660 Body or chassis

- 661 Body, chassis or frame (cycle, m/c) failure 662 Suspension failure
- 663 Failure of door catch or door not shut
- 664 Inadequate mudguards
- 665 Inadequate tow coupling 666 Inadequate or no safety chain
- 667 Bonnet catch failed
- 668 Wheel off
- 669 Broken axle
- 670 Inconspicuous colour
- 671 Blind spot 672 Seat belt / restraint failed
- 673 Air-bag failed to inflate (fully)
- 680 Load
 - 681 Load interferes with driver
 - 682 Not well secured or load moved 683 Over-hanging

 - 684 Load obscured vision
 - 685 Excess dimensions not adequately indicated 686 Over dimension vehicle or load

 - 687 Load too heavy 688 Towed vehicle or trailer too heavy or incompatible

- 690 **Miscellaneous vehicle** 691 Emergency Vehicle attending emergency 692 Vehicle caught fire

 - 693 Being towed 694 Air-bag contributed to crash or injury
 - 695 Seatbelt / restraint absent or unusable 696 Dangerous goods

PEDESTRIANS

700 Walking along road 701 Not keeping to footpath

- 702 Not keeping to locipath 703 Not facing oncoming traffic 704 Not on outside of blind curve 705 Wheeled ped inconsiderate or dangerous on footpath

- 710 Crossing road 711 Walking heedless of traffic
- 712 Stepping out from behind vehicles
 713 Running heedless of traffic
 714 Failed to use pedestrian crossing when one within 20 metres

840 Signs and signals 841 Damaged, removed or malfunction

851 Faded 852 Difficult to see under weather conditions

853 Markings necessary 854 Not visible due to geometry or vehicles 855 Old markings not adequately removed

864 Pedestrian crossing not adequately lighted

872 Traffic island(s) Ineffective, badly located or

842 Badly located 843 Ineffective or inadequate 844 Necessary 845 Signals turned off

850 Markings

860 Street lighting

862 Inadequate

designed

902 Dazzling sun 903 Strong wind

904 Fog or mist 905 Snow, sleet or hail

unexpected

920 Entering or leaving land use 921 Roadside stall 922 Service station 923 Specialised liquor outlet 924 Take away foods 925 Shopping complex 926 Car parking hulding (area

926 Car parking building / area 927 Other commercial

928 Industrial site 929 Private house / farm

930 Other non-commercial 931 Mobile shop or vendor

999 Unknown

915 Wild animal

MISCELLANEOUS

900 Weather 901 Heavy rain

910 Animals

Glare on wet road

873 Cyclist squeeze point

870 Raised islands and roundabouts

871 Traffic island(s) difficult to see

911 Household pet rushed out or playing 912 Farm animal straying

914 Farm animal attended, but out of control

913 Farm animal attended, but inadequate warning or

861 Failed

- 715 Waiting on roadway for moving traffic 716 Confused by traffic or stepped back 717 Suddenly stepped onto pedestrian crossing
- 718 Not complying with traffic signals or school
- patrols 719 Misjudged speed and / or distance of
- vehicle

720 Miscellaneous

- 721 Pushing, working on or unloading vehicle 722 Playing on road or unnecessarily on road
- 723 Working on road 724 Wearing dark clothing
- 725 Vision obscured by umbrella or clothing 726 Child escaped from supervision

- 727 Unsupervised child 728 Sitting / lying on road 729 Pedestrian to /from school bus 730 Pedestrian behind reversing / manoeuvring vehicle
- 731 Overseas pedestrian 732 Pedestrian attention diverted eg cigarette, cell phone, music player
- ROAD

- 800 **Slippery** 801 Rain 802 Frost or ice
 - 803 Snow or hail
 - 804 Loose material on seal
 - 805 Mud
 - 806 Oil / Diesel / Fuel 807 Painted markings
 - 808 Recently graded 809 Surface bleeding / defective

815 Curve not well banked 816 Edge badly defined or gave way

817 Under construction or maintenance 818 Unusually narrow

823 Flood waters, large puddles, ford 824 Road works not adequately lighted 825 Road works not adequately signposted

838 Temporary obstruction, dust or smoke 839 Parked vehicle

826 Roadside object fell on vehicle 827 Object flicked up by vehicle

810 Surface

- 811 Potholed 812 Uneven
- 813 Deep loose metal 814 High crown

819 Broken glass

830 Visibility limited 831 Curve 832 Crest 833 Building 834 Trees 835 Hedge or fence 836 Scrub or long grass

837 Bank

820 **Obstructed** 821 Fallen tree or branch

822 Slip or subsidence