



WELLINGTON, NEW ZEALAND

PURSUANT to *section 152* of the Land Transport Act 1998

I, *Maurice Donald Williamson*, Minister of Transport,

HEREBY make the following ordinary Rule:

Land Transport Rule: Vehicle Repair 1998

SIGNED AT Wellington

This 18th day of December 1998

Hon Maurice Donald Williamson

Minister of Transport

Land Transport Rule

Vehicle Repair 1998

Rule 34001/1998

As at 1 April 2021

Land Transport Rule

Vehicle Repair 1998

As at 1 April 2021

Contents

Compilation notes	i
Part 1 Rule requirements	1
Section 1 Application	1
1.1 Title	1
1.2 Scope of the rule	1
1.3 Date when rule comes into force	1
Section 2 Repair requirements	1
2.1 General safety requirements	1
2.2 Repair methods	1
Section 3 Responsibilities	3
3.1 Responsibilities of repairers	3
3.2 Functions and powers of the Director	3
Part 2 Definitions	5
Table A—Vehicle classes	8
Part 3 Schedule	12
Schedule 1 Acts, regulations and rules	12

Compilation notes

1 General

This is a compilation of [Rule title in full] that incorporates all the amendments to that Rule as at the date of the last amendment to it.

2 Format changes

Format changes to compilations are made so that the format of the compilation is consistent with current drafting practice, including:

- changes to the setting out of provisions, tables, and schedules:
- the repositioning of headings or notes:
- changes to typeface and type size:
- the addition or removal of boldface, italics, and similar textual attributes:
- the addition or removal of quote marks:
- changes to the case of letters or words:
- addition of history and editorial notes.

3 Amendments incorporated in this reprint

Land Transport Rule: Agency to Director (Consequential Changes) Amendment 2021

Land Transport Amendment Act 2009

Land Transport Rule: Vehicle Standards Compliance Amendment 2010

Land Transport Management Amendment Act 2008

Land Transport Amendment Act 2005

Part 1

Rule requirements

Section 1 Application

1.1 Title

This rule is to be cited as *Land Transport Rule: Vehicle Repair 1998*.

1.2 Scope of the rule

1.2(1) This rule applies to all motor vehicles and all vehicles of the classes specified in *Table A* in *Part 2* of this rule, irrespective of the date of registration of the vehicle in New Zealand, or the date of manufacture of the vehicle.

1.2(2) This rule applies to repairs that could affect the safety performance of a vehicle, its structure, systems, components or equipment.

1.3 Date when rule comes into force

This rule comes into force on 1 March 1999.

Section 2 Repair requirements

2.1 General safety requirements

2.1(1) A repair to a vehicle, its structure, systems, components or equipment, must restore the damaged or worn vehicle, structure, system, component or equipment so that they are within safe tolerance of the state of the vehicle, structure, system, component or equipment when manufactured.

2.1(2) If the vehicle has been certified as a modified vehicle, the repair must restore the vehicle, structure, system, component or equipment so that the vehicle is within safe tolerance of its state when certified as a modified vehicle.

2.2 Repair methods

2.2(1) In repairing a vehicle to comply with *2.1*, a repairer must use a suitable repair method that takes into account the following:

- (a) the date of manufacture of the vehicle;

- (b) the class, make and other relevant characteristics of the vehicle;
- (c) the approved vehicle standards with which the vehicle is required to comply;
- (d) the existence of relevant manufacturers' recommendations and alternative methods;
- (e) the material specifications used for construction of the vehicle, structure, systems, components or equipment;
- (f) the compatibility of the intended repair process with materials specifications.

New and used replacement systems, components and equipment

- 2.2(2) A repairer must use systems, components and equipment that will enable a vehicle to comply with 2.1.
- 2.2(3) The systems, components and equipment used to enable the vehicle to comply with 2.1 may be new or used.
- 2.2(4) Replacement systems, components and equipment used in a repair must comply with an approved vehicle standard applicable, as specified by the relevant rule or regulation, to the year of manufacture of the vehicle, system, component or equipment.
- 2.2(5) If a repair to a motor vehicle affects a system that is required to meet an approved vehicle standard, the individual components or items of equipment must be such that they ensure the system complies with the approved vehicle standard.
- 2.2(6) Replacement systems, components and equipment used in a repair may comply with a version of an approved vehicle standard more recent than that applicable to the vehicle's year of manufacture (or the year of manufacture of the component) if the safety performance of the vehicle is not adversely affected.
- 2.2(7) Replacement systems, components and equipment that are manufactured earlier than the vehicle in which they are used must comply with an approved vehicle standard which is either:
 - (a) applicable to the year of manufacture of the vehicle; or
 - (b) more recent than that applicable to the year of manufacture of the vehicle, as specified in 2.2(6).
- 2.2(8) If there is no applicable approved vehicle standard, then replacement systems, components and equipment must be fit for

the purpose for which they are to be used, as determined by reference to:

- (a) the vehicle manufacturer's original performance specification for the systems, components and equipment; or
- (b) the manufacturing specification of the original equipment supplier for the systems, components and equipment; or
- (c) later specifications for the same systems, components and equipment issued by the vehicle manufacturer, or the original equipment supplier approved by the vehicle manufacturer; or
- (d) the manufacturing and materials specifications of an approved standards institution for the systems, components and equipment.

Section 3 Responsibilities

3.1 Responsibilities of repairers

3.1(1) A repairer must repair vehicles in accordance with this rule and applicable requirements in legislation specified in *Schedule 1* in *Part 3* of this rule.

3.1(2) A repairer must, at all reasonable times, provide information and assistance when requested by the Director.

Clause 3.1(2): amended, on 1 August 2008, by *Schedule 3* of the *Land Transport Management Amendment Act 2008*.

Clause 3.1(2): amended, on 1 April 2021, by *clause 23.2* of *Land Transport Rule: Agency to Director (Consequential Changes) Amendment 2021*.

3.2 Functions and powers of the Director

The Director may:

- (a) require information and other assistance from repairers;
- (b) investigate matters relating to repairs and repairers.

Heading to *clause 3.2:* amended, on 1 August 2008, by *Schedule 3* of the *Land Transport Management Amendment Act 2008*.

Heading to *clause 3.2:* amended, on 1 April 2021, by *clause 23.3(1)* of *Land Transport Rule: Agency to Director (Consequential Changes) Amendment 2021*.

Clause 3.2: amended, on 1 August 2008, by *Schedule 3* of the *Land Transport Management Amendment Act 2008*.

Clause 3.2: amended, on 1 April 2021, by clause 23.3(2) of Land Transport Rule: Agency to Director (Consequential Changes) Amendment 2021.

Part 2

Definitions

Agency means the New Zealand Transport Agency established under *section 93* of the *Land Transport Management Act 2003*.

Approved standards institution means a national or industry-based organisation, representing a cross-section of the established vehicle or component manufacturing industry, that has a primary function to set and maintain product safety and quality standards.

Approved vehicle standard means a vehicle standard specified in legislation listed in *Schedule 1*.

Class in relation to vehicles, means a category of vehicle of one of the Groups A, L, M, N, and T, as specified in *Table A: Vehicle classes*.

Manufacturer's operating limits means:

- (a) in relation to a vehicle, the allowance provided by the vehicle manufacturer in terms of performance capability and dimensions, relative to deterioration, malfunction or damage beyond which the safe performance of the vehicle, as defined by the vehicle manufacturer, is compromised; and
- (b) in relation to a system or component, incorporated in or attached to a vehicle, the allowance provided by the system or component manufacturer in terms of performance capability and dimensions, relative to the deterioration, malfunction or damage, beyond which the safe performance of the system or component (and consequently the vehicle) is compromised.

mobility device means—

- (a) a vehicle that—
 - (i) is designed and constructed (not merely adapted) for use by persons who require mobility assistance due to a physical or neurological impairment; and
 - (ii) is powered solely by a motor that has a maximum power output not exceeding 1 500 W; or
- (b) a vehicle that the Agency has declared under *section 168A(1)* of the *Land Transport Act 1998* to be a mobility device.

Modify in relation to a vehicle, means to change the vehicle from its original state by altering, substituting, adding or removing any structure, system, component or equipment, but does not include repair; and 'modified' and 'modification' have corresponding meanings.

Motor vehicle means a vehicle drawn or propelled by mechanical power; and includes a trailer, but does not include:

- (a) a vehicle running on rails;
- (b) [revoked]
- (c) a trailer (other than a trailer designed solely for the carriage of goods) that is designed and used exclusively as part of the armament of the New Zealand Defence Force;
- (d) a trailer running on one wheel and designed exclusively as a speed measuring device or for testing the wear of vehicle tyres;
- (e) a vehicle designed for amusement purposes and used exclusively within a place of recreation, amusement, or entertainment to which the public does not have access with motor vehicles;
- (f) a pedestrian-controlled machine;
- (g) a vehicle that the Agency has declared is not a motor vehicle under *section 168A* of the *Land Transport Act 1998*; or
- (h) a mobility device.

Repair in relation to a vehicle, means to restore a damaged or worn vehicle, its structure, systems, components or equipment; and includes the replacement of damaged or worn structures, systems, components and equipment with equivalent undamaged or new structures, systems, components and equipment.

Repairer means a person who carries out repairs to a damaged or worn vehicle, its structure, systems, components or equipment, either directly or by supervising another person.

Safe tolerance means the tolerance within which the safe performance of the vehicle, its structure, systems, components or equipment are not compromised, having regard to any manufacturer's operating limits.

Vehicle means a contrivance equipped with wheels, tracks, or revolving runners on which it moves or is moved; and includes a hovercraft, a skateboard, in-line skates and roller-skates; but does not include:

- (a) a perambulator or pushchair;
- (b) a shopping or sporting trundler not propelled by mechanical power;
- (c) a wheelbarrow or hand-trolley;
- (d) a child's toy, including a tricycle and a bicycle, provided, in either case, no road wheel (including any tyre) has a diameter exceeding 355 mm;
- (e) a pedestrian-controlled lawnmower;
- (f) a pedestrian-controlled agricultural machine not propelled by mechanical power;
- (g) an article of furniture;
- (h) an invalid wheelchair not propelled by mechanical power;

- (i) any other contrivance specified by any other rule not to be a vehicle for the purposes of this definition.

Vehicle standard means a technical specification with which a vehicle structure, system, component or equipment must comply, and which is adopted by:

- (a) the New Zealand Standards Council; or
- (b) any regional, national or international organisation with functions similar to the New Zealand Standards Council.

Part 2, Definitions, Agency: inserted, on 1 August 2008, by *Schedule 3 of the Land Transport Management Amendment Act 2008.*

Part 2, Definitions, Director: revoked, on 1 August 2008, by *Schedule 3 of the Land Transport Management Amendment Act 2008.*

Part 2, Definitions, mobility device: inserted, on 22 June 2005, by *Part 6 of the Schedule to Land Transport Amendment Act 2005.*

Part 2, Definitions, mobility device, paragraph (b): amended, on 1 August 2008, by *Schedule 3 of the Land Transport Management Amendment Act 2008.*

Part 2, Definitions, motor vehicle, paragraph (b): revoked, on 22 June 2005, by *Part 6 of the Schedule to Land Transport Amendment Act 2005.*

Part 2, Definitions, motor vehicle, paragraph (g): inserted, on 22 June 2005, by *Part 6 of the Schedule to Land Transport Amendment Act 2005.*

Part 2, Definitions, motor vehicle, paragraph (g): amended, on 1 August 2008, by *Schedule 3 of the Land Transport Management Amendment Act 2008.*

Part 2, Definitions, motor vehicle, paragraph (h): inserted, on 22 June 2005, by *Part 6 of the Schedule to Land Transport Amendment Act 2005.*

Table A—Vehicle classes

Class	Description
AA (Pedal cycle)	A vehicle designed to be propelled through a mechanism solely by human power.
AB (Power-assisted pedal cycle)	A pedal cycle to which is attached one or more auxiliary propulsion motors having a combined maximum power output not exceeding 300 watts.
LA (Moped with two wheels)	A motor vehicle (other than a power-assisted pedal cycle) that: <ul style="list-style-type: none"> (a) has two wheels; and (b) either: <ul style="list-style-type: none"> (i) has an engine cylinder capacity not exceeding 50 ml and a maximum speed not exceeding 50 km/h; or (ii) has a power source other than a piston engine and a maximum speed not exceeding 50 km/h.
LB (Moped with three wheels)	A motor vehicle (other than a power-assisted pedal cycle) that: <ul style="list-style-type: none"> (a) has three wheels; and (b) either: <ul style="list-style-type: none"> (i) has an engine cylinder capacity not exceeding 50 ml and a maximum speed not exceeding 50 km/h; or (ii) has a power source other than a piston engine and a maximum speed not exceeding 50 km/h.
LB 1	A Class LB motor vehicle that has one wheel at the front and two wheels at the rear.
LB 2	A Class LB motor vehicle that has two wheels at the front and one wheel at the rear.
LC (Motor cycle)	A motor vehicle that: <ul style="list-style-type: none"> (a) has two wheels; and (b) either: <ul style="list-style-type: none"> (i) has an engine cylinder capacity exceeding 50 ml; or (ii) has a maximum speed exceeding 50 km/h.
LD (Motor cycle and side-car)	A motor vehicle that: <ul style="list-style-type: none"> (a) has three wheels asymmetrically arranged in relation to the longitudinal median axis; and (b) either: <ul style="list-style-type: none"> (i) has an engine cylinder capacity exceeding 50 ml; or (ii) has a maximum speed exceeding 50 km/h.
Side-car	A car, box, or other receptacle attached to the side of a motor cycle and supported by a wheel.
LE (Motor tri-cycle)	A motor vehicle that: <ul style="list-style-type: none"> (a) has three wheels symmetrically arranged in relation to the

Class	Description
	<ul style="list-style-type: none"> longitudinal median axis; and (b) has a gross vehicle mass not exceeding one tonne; and (c) either: <ul style="list-style-type: none"> (i) has an engine cylinder capacity exceeding 50 ml; or (ii) has a maximum speed exceeding 50 km/h.
LE 1	A Class LE motor vehicle that has one wheel at the front and two wheels at the rear.
LE 2	A Class LE motor vehicle that has two wheels at the front and one wheel at the rear.
Passenger vehicle	<p>A motor vehicle that:</p> <ul style="list-style-type: none"> (a) is constructed primarily for the carriage of passengers; and (b) either: <ul style="list-style-type: none"> (i) has at least four wheels; or (ii) has three wheels and a gross vehicle mass exceeding one tonne.
MA (Passenger car)	A passenger vehicle (other than a Class MB or Class MC vehicle) that has not more than nine seating positions (including the driver's seating position).
MB (Forward control passenger vehicle)	<p>A passenger vehicle (other than a Class MC vehicle):</p> <ul style="list-style-type: none"> (a) that has not more than nine seating positions (including the driver's seating position); and (b) in which the centre of the steering wheel is in the forward quarter of the vehicle's total length.
MC (Off-road passenger vehicle)	<p>A passenger vehicle, designed with special features for off-road operation, that has not more than nine seating positions (including the driver's seating position), and that:</p> <ul style="list-style-type: none"> (a) has four-wheel drive; and (b) has at least four of the following characteristics when the vehicle is unladen on a level surface and the front wheels are parallel to the vehicle's longitudinal centre-line and the tyres are inflated to the vehicle manufacturer's recommended pressure: <ul style="list-style-type: none"> (i) an approach angle of not less than 28 degrees; (ii) a breakover angle of not less than 14 degrees; (iii) a departure angle of not less than 20 degrees; (iv) a running clearance of not less than 200 mm; (v) a front-axle clearance, rear-axle clearance, or suspension clearance of not less than 175 mm.
Omnibus	A passenger vehicle that has more than nine seating positions (including the driver's seating position). An omnibus comprising two or more nonseparable but articulated units shall be considered as a single vehicle.
MD (Light omnibus)	An omnibus that has a gross vehicle mass not exceeding 5 tonnes.

Class	Description
MD 1	An omnibus that has a gross vehicle mass not exceeding 3.5 tonnes and not more than 12 seats.
MD 2	An omnibus that has a gross vehicle mass not exceeding 3.5 tonnes and more than 12 seats.
MD 3	An omnibus that has a gross vehicle mass exceeding 3.5 tonnes but not exceeding 4.5 tonnes.
MD 4	An omnibus that has a gross vehicle mass exceeding 4.5 tonnes but not exceeding 5 tonnes.
ME (Heavy omnibus)	An omnibus that has a gross vehicle mass exceeding 5 tonnes.
Goods vehicle	<p>A motor vehicle that:</p> <p>(a) is constructed primarily for the carriage of goods; and</p> <p>(b) either:</p> <p>(i) has at least four wheels; or</p> <p>(ii) has three wheels and a gross vehicle mass exceeding one tonne.</p> <p>For the purpose of this description:</p> <p>(a) a vehicle that is constructed for both the carriage of goods and passengers shall be considered primarily for the carriage of goods if the number of seating positions multiplied by 68 kg is less than 50% of the difference between the gross vehicle mass and the unladen mass;</p> <p>(b) the equipment and installations carried on special purpose vehicles not designed for the carriage of passengers shall be considered to be goods;</p> <p>(c) a goods vehicle that has two or more non-separable but articulated units shall be considered to be a single vehicle.</p>
NA (Light goods vehicle)	A goods vehicle that has a gross vehicle mass not exceeding 3.5 tonnes.
NB (Medium goods vehicle)	A goods vehicle that has a gross vehicle mass exceeding 3.5 tonnes but not exceeding 12 tonnes.
NC (Heavy goods vehicle)	A goods vehicle that has a gross vehicle mass exceeding 12 tonnes.
Trailer	A vehicle without motive power that is constructed for the purpose of being drawn behind a motor vehicle.
TA (Very light trailer)	A single-axled trailer that has a gross vehicle mass not exceeding 0.75 tonnes.
TB (Light trailer)	A trailer (other than a Class TA trailer) that has a gross vehicle mass not exceeding 3.5 tonnes.

Class	Description
TC (Medium trailer)	A trailer that has a gross vehicle mass exceeding 3.5 tonnes but not exceeding 10 tonnes.
TD (Heavy trailer)	A trailer that has a gross vehicle mass exceeding 10 tonnes.

*Part 2, Table A, item relating to **Class AB (power-assisted pedal cycle)**: amended, on 1 April 2010, by clause 3.1 of Land Transport Rule: Vehicle Standards Compliance Amendment 2010.*

Part 3

Schedule

Schedule 1

Acts, regulations and rules

Acts, regulations and rules which are applicable to vehicles covered by this rule:

- *Transport Act 1962*;
- *Land Transport Act 1998*;
- *Goods Service Vehicle Constructional Regulations 1936*;
- *Heavy Motor Vehicle Regulations 1974*;
- *Passenger Service Vehicle Construction Regulations 1978*;
- *Traffic Regulations 1976, Part V* (only for heavy vehicles) and *Part VII* (for all vehicles);
- *Transport (Vehicle Standards) Regulations 1990*;
- Land Transport Rules relating to vehicles, their structure, systems, components and equipment.

Schedule 1: amended, on 1 May 2011, by *Part 3* of *Schedule 2* of the *Land Transport Amendment Act 2009*.